Journal of Pharmaceutical and Biomedical Analysis

Volume 8 1990

LIST OF CONTENTS

Number 1

A. F. Fell and C. M. Riley — i — Editorial

Review

W. A. J. de Waal, F. J. M. J. Maessen and J. C. Kraak — 1 — Analytical methodologies for the quantitation of platinum anti-cancer drugs and related compounds in biological media

Full Papers

H. Virelizier, D. Gaudin, R. Hagemann and K. Jankowski — 31 — Chemical ionization pyrolytical spectra of DNA

J. A. Squella, A. Zanocco, S. Perna and L. J. Nuñez-Vergara — 43 — A polarographic study of the photodegradation of nitrendipine

M. A. J. van Opstal, R. Wolters, J. S. Blauw, P. C. van Krimpen, W. P. van Bennekom and A. Bult — 49 — Determination of penicillin in pharmaceutical formulations by flow injection analysis using an optimised immobilised penicillinase reactor and iodometric detection

T. Saesmaa and A. M. Tötterman — 61 — Dissolution studies on ampicillin embonate and amoxycillin embonate

E. Brunt, J. Limberg and H. Derendorf — 67 — High-performance liquid chromatographic assay and erythrocyte partitioning of fleroxacin, a new fluoroquinolone antibiotic

P. A. Bombardt, M. Courtney and H. Ko — 73 — Fast-LC determination of 1-methyl-1H-tetrazole-5-thiol in human plasma with column-switching sample clean-up

K. Selinger, H. M. Hill, J. A. Anslow and D. Gash — 79 — A liquid chromatographic method for the determination of danazol in human serum

J. A. Stenken, D. L. Puckett, S. M. Lunte and C. E. Lunte — 85 — Detection of N-acetylcysteine, cysteine and their disulfides in urine by liquid chromatography with a dual-electrode amperometric detector

Short Communications

D. V. C. Awang, B. A. Dawson, G. A. Neville, I. Ekiel, R. Deslauriers and I. C. P. Smith — 91 — ^{13}C-NMR of *Rauwolfia* alkaloids

J. Petiot, P. Prognon, E. Postaire, M. Larue, F. Laurençon-Courteille and D. Pradeau — 93 — Multicomponent analysis of hydrosoluble polyvitamins by first-derivative spectrophotometry

N. Maron and G. Wright — 101 — Application of photodiode array UV detection in the development of stability-indicating LC methods: determination of mefenamic acid

V. Brizzi and U. Pasetti — 107 — High-performance liquid chromatographic determination of ambroxol in pharmaceuticals

Number 2

Special Issue: Papers from the 40th Annual Pittsburgh Conference and Exposition, Atlanta, Georgia, 6-10 March 1989

A. F. Fell and C. M. Riley — 111 — Editorial

Full Papers

R. Jankowiak, P. Lu, G. J. Small, M. Nishimoto, U. Varanasi, S. K. Kim and N. E. Geacintov — 113 — Fluorescence line-narrowing spectrometry: a versatile tool for the study of chemically initiated carcinogenesis

A. Berthod, Heng Liang Jin, T. E. Beesley, J. D. Duncan and D. W. Armstrong — 123 — Cyclodextrin chiral stationary phases for liquid chromatographic separations of drug stereoisomers

S. M. Lunte and C. E. Lunte — 131 — Electroanalytical approaches to understanding benzene metabolism

M. J. Doyle, T. H. Eichhold, B. A. Hynd and S. M. Weisman — 137 — Determination of leukotriene B_4 in human plasma by gas chromatography using a mass selective detector and a stable isotope labelled internal standard. Effect of NE-11740 on arachidonic acid metabolism

J. F. Wheeler, C. E. Lunte, H. Zimmer and W. R. Heineman — 143 — Electrochemical investigations of immunologically reactive procainamide metabolites

M. B. Mattammal, V. M. Lakshmi, T. V. Zenser and B. B. Davis — 151 — Metabolism of aromatic and heterocyclic amine bladder carcinogens: bioanalytical considerations

J. Rizzo, C. Riley, D. Von Hoff, J. Kuhn, J. Phillips and T. Brown — 159 — Analysis of anticancer drugs in biological fluids: determination of taxol with application to clinical pharmacokinetics

L. A. Sprancmanis, C. M. Riley and J. F. Stobaugh — 165 — Determination of the anticancer drug, 15-deoxyspergualin, in plasma ultrafiltrate by liquid chromatography and precolumn derivatization with naphthalene-2,3-dicarboxaldehyde/cyanide

K. R. Wehmeyer, G. B. Kasting, J. H. Powell, D. L. Kuhlenbeck, R. A. Underwood and L. A. Bowman — 177 — Application of liquid chromatography with on-line radiochemical detection to metabolism studies on a novel class of analgesics

S. H. Y. Wong — 185 — Novel strategies for clinical drug analysis with new column technology in liquid chromatography

T. M. Harris — 195 — NMR-studies of carcinogen reactions with DNA: ethylene dibromide and aflatoxin B_1

K. J. Volk, R. A. Yost and A. Brajter-Toth — 205 — On-line mass spectrometric investigation of the peroxidase-catalysed oxidation of uric acid

Number 3

Full Papers

I. Ahmad and H. D. C. Rapson ✠ — 217 — Multicomponent spectrophotometric assay of riboflavine and photoproducts

H. A. Al-Khamees, A. M. Al-Obaid, K. A. Al-Rashood, S. M. Bayomi and M. E. Mohamed — 225 — Differential pulse polarographic assay of tolmetin sodium capsules

L. Campanella, M. Tomassetti and G. Visco — 229 — Chemometric study and analytical enzymatic methods for diagnosis of cholesterol gallstones

S. Scalia — 235 — Group separation of free and conjugated bile acids by pre-packed anion-exchange cartridges

J. J. Halvax, G. Wiese, J. A. Arp, J. M. P. Vermeer, W. P. van Bennekom and A. Bult — 243 — Rapid determination of benzalkonium chloride in pharmaceutical preparations with flow injection liquid–liquid extraction

J. Novaković, D. Agbaba, S. Vladimirov and D. Živanov-Stakić — 253 — Densitometric determination of conjugated oestrogens in the raw material and in pharmaceutical preparations

J. Martens and R. Bhushan — 259 — Importance of enantiomeric purity and its control by thin-layer chromatography

H. K. Chan and G. P. Carr — 271 — Evaluation of a photodiode array detector for the verification of peak homogeneity in high-performance liquid chromatography

M. Tod, G. Resplandy, R. Farinotti, Y. Provost and A. Dauphin — 279 — Comparison of serum hydroquinidine determination by fluorescence polarization immunoassay and liquid chromatography

G. Carlucci, L. Biordi, C. Vicentini and M. Bologna — 283 — Determination of imipenem in human plasma, urine and tissue by high-performance liquid chromatography

Short Communications

C. S. P. Sastry, A. S. R. Prasad Tipirneni and M. V. Suryanarayana — 287 — Spectrophotometric determination of some antiallergic agents with 3-methyl-2-benzothiazolinone hydrazone

M. D. Wiederhold, M. L. Shen and D. W. Ou — 293 — Hydroxylation of delta-9-tetrahydrocannabinol by human peripheral blood monocytes in tissue culture

V. Marko, L. Šoltés and I Novák — 297 — Selective solid-phase extraction of basic drugs by C_{18}-silica. Discussion of possible interactions

M. Di Maso, W. C. Purdy S. A. McClintock and M. L. Cotton — 303 — Determination of sorbitan trioleate in metered-dose inhalers by supercritical-fluid chromatography

K. J. Dave, C. M. Riley, D. Vander Velde and J. F. Stobaugh — 307 — Improved preparation and structural conformation of the fluorescence labelling reagents 1,2-diamino-4,5-dimethoxybenzene and 3,4-dihydro-6,7-dimethoxy-4-methyl-3-oxo-quinoxaline-2-carbonyl chloride

Number 4

Full Papers

J. Hempenius, J. Wieling, J. H. G. Jonkman, O. E. de Noord, P. M. J. Coenegracht and D. A. Doornbos — 313 — Development of a laboratory robotic system for automated bioanalytical methods—I. The determination of theophylline in human plasma: a comparison between the robotized and manual method

M. S. Suleiman, N. M. Najib, M. A. Hassan and M. E. Abdel-Hamid — 321 — Physico-chemical characterization of a new salt of ibuprofen

M. D. Luque de Castro and M. Valcárcel — 329 — Automation of pharmaceutical dissolution testing by flow injection analysis

L. Sjödin, H. Dahlén, K. Erlandsson-Persson, A.-C. Henningsson and E. Viitanen — 337 — Quantitation of human chorionic gonadotrophin (hCG) by radioreceptor assay

S. M. Sultan and E. Bishop — 345 — Mechanistic study and kinetic determination of vitamin C

V. M. Papa, Mei-Ling Shen and D. W. Ou — 353 — The effects of pH and temperature on the *in vitro* bindings of delta-9-tetrahydrocannabinol and other cannabinoids to bovine serum albumin

Zecai Wu, D. M. Goodall and D. K. Lloyd — 357 — Determination of enantiomeric purity of ephedrine and pseudoephedrine by high-performance liquid chromatography with dual optical rotation/UV absorbance detection

W. H. Soine, P. J. Soine, T. M. England, D. F. Welty and J. H. Wood — 365 — LC determination of the diastereomers of 1-(β-D-glucopyranosyl)phenobarbital in human urine

Short Communications

Shou-Zhuo Yao, Dei-Zhong Liu and Li-Hua Nie — 373 — Potentiometric determination of iodipamide using an iodipamide ion-selective electrode

Li-Hua Nie, Dei-Zhong Liu and Shou-Zhuo Yao — 379 — Potentiometric determination of diazepam with a diazepam ion-selective electrode

Zong-Rang Zhang, Yi Xin Li, Dan Yi Mao and V. V. Cosofret — 385 — Sensitive membrane electrodes for the determination of vitamin B_1 and vitamin B_6

Number 5

Review
T. D. Wilson — 389 — Liquid chromatographic methods validation for pharmaceutical products

Full Papers
K. E. Wade, I. D. Wilson, J. A. Troke and J. K. Nicholson — 401 — ^{19}F and ^{1}H magnetic resonance strategies for metabolic studies on fluorinated xenobiotics: application to flurbiprofen [2-(2-fluoro-4-biphenylyl)propionic acid]

A. Glöggler, M. Bulla and P. Fürst — 411 — Kinetics of intravenously administered carnitine in haemodialysed children

M. R. O. Karim, Th. M. Karadaghi and S. O. Ismail — 415 — Determination of water in ascorbic acid by the proton isoconcentration technique using the standard addition method

P. de Montigny, C. M. Riley, L. A. Sternson and J. F. Stobaugh — 419 — Fluorogenic derivatization of peptides with naphthalene-2,3-dicarboxaldehyde/cyanide: optimization of yield and application in the determination of leucine-enkephalin spiked human plasma samples

P. Corti, A. Cenni, G. Corbini, E. Dreassi, C. Murratzu and A. M. Caricchia — 431 — Thin-layer chromatography and densitometry in drug assay: comparison of methods for monitoring valproic acid in plasma

A. J. Shah, M. W. Adlard and J. D. Stride — 437 — A sensitive assay for clavulanic acid and sulbactam in biological fluids by high-performance liquid chromatography and precolumn derivatization

Short Communications
C. M. Moore, I. R. Tebbett, S. Kalita and M. Artememko — 445 — Rapid extraction and detection of mazindol in horse urine

K. E. Ibrahim and A. F. Fell — 449 — Separation of chloroquine enantiomers by high-performance liquid chromatography

K. Kamata and K. Akiyama — 453 — High-performance liquid chromatography with electrochemical detection for the determination of thioctic acid and thioctic acid amide

P. K. Shah and R. T. Borchardt — 457 — Liquid chromatographic analysis of leucine-enkephalin and its metabolites in homogenates of cultured human keratinocytes

L. S. Gibbs and G. J. Traiger — 463 — Determination of *N*-methylthiobenzamide in rat plasma by high-performance liquid chromatography

Number 6

Special Issue: Modern Analytical Technology in Pharmaceutical Analysis. Papers from the Analytical and Pharmaceutical Quality Section's Symposium at the Fourth Annual Meeting and Exposition of the American Association of Pharmaceutical Scientists, Atlanta, Georgia, 22-26 October 1989

A. F. Fell and C. M. Riley — 467 — Editorial

Full Papers
T. M. Rossi — 469 — Laser-based detectors in chromatographic analysis

R. S. Givens, D. A. Jencen, C. M. Riley, J. F. Stobaugh, H. Chokshi and N. Hanaoka — 477 — Chemiluminescence: a sensitive and versatile method for analyte detection

L. Dou and I. S. Krull 493 Post-column detection by on-line photolysis–electrochemistry in liquid chromatography: application to the determination of phenylalanine in human urine

J.-M. Aiache 499 French and/or European perspectives on biopharmaceutical characterization of drug dosage forms

P. de Montigny, J.-S. K. Shim and J. V. Pivnichny 507 Liquid chromatographic determination of ivermectin in animal plasma with trifluoroacetic anhydride and *N*-methylimidazole as the derivatization reagent

E. L. Inman, R. L. Clemens and B. A. Olsen 513 Determination of EDTA in vancomycin by liquid chromatography with absorbance ratioing for peak identification

T. H. Ayers, M. E.-S. Metwally and I. L. Honigberg 521 Chromatographic separation and photoelectrochemical detection of sodium nitroprusside and its degradative and metabolic products

D. B. Black, B. A. Dawson, J.-C. Ethier and G. A. Neville 527 Preparative liquid chromatographic separation of the oligomers of nonoxynol-9 and their characterization by ^{1}H-NMR and mass spectroscopy

Short Communications

F. F. T. Ververs, H. G. Schaefer, J. F. Lefevre, L. M. Lopez and H. Derendorf 535 Simultaneous assay of propranolol, diltiazem and metabolites of diltiazem in human plasma by liquid chromatography

G. Hochhaus and L. Hu 541 An avidin–biotin based enzyme-linked immunosorbent assay for dynorphin A 1-13

Number 7

Review

D. E. Moore 547 A review of techniques for the analysis of boron in the development of neutron capture therapy agents

Full Papers

P. Shearan, J. M. Fernández Álvarez and M. R. Smyth 555 Adsorptive voltammetric investigation of the interaction of cisplatin with cystine and human serum albumin

M. Márquez, M. Silva and D. Pérez-Bendito 563 Kinetic determination of vitamin B_{12} in pharmaceuticals by the continuous addition of reagent technique

S. M. Sultan, A. M. Bukhari and H. Perzanowski 569 Kinetic determination of sotalol by oxidation with sodium vanadate

M. J. Basker, S. C. Finch and J. W. Tyler 573 Use of ^{1}H NMR in the identification of a metabolite of a catecholic cephalosporin excreted in rat bile

J. Wieling, J. Hempenius, H. J. Jeuring, J. H. G. Jonkman, P. M. J. Coenegracht and D. A. Doornbos 577 Development of a laboratory robotic system for automated bioanalytical methods—II. A robot computer program for guarding totally automated bioanalytical methods

N. Beaulieu, T. D. Cyr and E. G. Lovering 583 Liquid chromatographic methods for the determination of albuterol (salbutamol), albuterol sulphate and related compounds in drug raw materials, tablets and inhalers

R. E. Bland, R. J. N. Tanner, W. H. Chern, J. R. Lang and J. R. Powell 591 Determination of albuterol concentrations in human plasma using solid-phase extraction and high-performance liquid chromatography with fluorescence detection

Short Communications

C. H. Powell and R. B. Nelson 597 Determination of subtilisin proteolytic activity by flow-injection analysis with fluorescence detection

L. W. Whitehouse, A. Menzies B. Dawson, J. Zamecnik and W.-W. Sy 603 Deacetylated ketoconazole: a major ketoconazole metabolite isolated from mouse liver

J. S. Loran and K. D. Cromie 607 An evaluation of the use of supercritical fluid chromatography with light scattering detection for the analysis of steroids

Numbers 8–12

Special Issue: Papers from the Second International Symposium on Pharmaceutical and Biomedical Analysis, April 1990, York, UK

A. F. Fell and C. M. Riley	xiii	Editorial
Full Papers		
G. P. Carr and J. C. Wahlich	613	A practical approach to method validation in pharmaceutical analysis
J. C. Wahlich and G. P. Carr	619	Chromatographic system suitability tests—what should we be using?
A. G. Causey, H. M. Hill and L. J. Phillips	625	Evaluation of criteria for the acceptance of bioanalytical data
A. R. Buick, M. V. Doig, S. C. Jeal, G. S. Land and R. D. McDowall	629	Method validation in the bioanalytical laboratory
M. Berglund, K. Byström and B. Persson	639	Screening chemical and physical stability of drug substances
B. Buszewski	645	The influence of properties of packing materials upon the recovery of biological substances isolated from urine by solid-phase extraction
M. El Mouelhi and B. Buszewski	651	Application of solid-phase extraction to the isolation and determination of paracetamol and its metabolites
M. Valcárcel, M. Gallego and R. Montero	655	Indirect continuous automatic determination of pharmaceuticals by atomic absorption spectroscopy
A. Kojło and J. Martinez Calatayud	663	Spectrophotometric determination of adrenaline with an oxidative column in a FIA assembly
J. Martinez Calatayud, C. Gomez Benito and D. Gaspar Gimenez	667	FIA–fluorimetric determination of thiamine
O. Bekers, J. H. Beijnen, M. Otagiri, A. Bult and W. J. M. Underberg	671	Inclusion complexation of doxorubicin and daunorubicin with cyclodextrins
J. Barbosa, V. Sanz-Nebot and M. E. Torrero	675	Acid–base equilibria of β-blockers in acetonitrile
W. J. M. Underberg, R. M. J. Goossen, B. R. Smith and J. H. Beijnen	681	Equilibrium kinetics of the new experimental anti-tumour compound SK&F 104864-A in aqueous solution
A. G. Lynn, R. E. Coxon, G. Gallacher and J. Landon	685	Development of a radioimmunoassay for idazoxan hydrochloride
R. A. Biddlecombe, K. L. Dean, C. D. Smith and S. C. Jeal	691	Validation of a radioimmunoassay for the determination of human plasma concentrations of lamotrigine
M. Telting-Diaz, F. Regan, D. Diamond and M. R. Smyth	695	Comparison of a calixarene-based ion-selective electrode with two automated analyzers for the clinical determination of sodium in blood plasma
J. L. F. C. Lima, M. C. B. S. M. Montenegro and A. M. Roque da Silva	701	A phenobarbital ion-selective electrode without an inner reference solution, and its application to pharmaceutical analysis
K. Karljiković-Rajić and B. Stanković	705	Potentiometric investigation of the stability of palladium(II) complex of pralidoxime chloride in aqueous solution
L. Campanella, M. Cordatore, F. Mazzei and M. Tomassetti	711	Determination of inorganic phosphate in drug formulations and biological fluids using a plant tissue electrode

A. M. Tudor, C. D. Melia, J. S. Binns, P. J. Hendra, S. Church and M. C. Davies	717	The application of Fourier-transform Raman spectroscopy to the analysis of pharmaceuticals and biomaterials
J. Reglinski, M. Al-Kabban, W. E. Smith, I. D. Watson and M. J. Stewart	721	An NMR compatible model for solid tumour
L. L. Olson and A. P. Cheung	725	^{31}P-NMR assay of phosphatidylcholine and phosphatidylethanolamine in AL721
A. P. Cheung and L. L. Olson	729	^{1}H-NMR assay of phosphatidylcholine and phosphatidylethanolamine in AL721
K. Karljiković-Rajić, B. Stanković and A. Granov	735	Spectrophotometric investigation of complex formation of an oxime PAM-4Cl with palladium(II) and its analytical application
D. Radulović, D. Pećanac, Lj. Živanović and S. Agatonović-Kuštrin	739	Investigation of penbutolol–iron(III) complex and its spectrophotometric determination in tablets
L. Campanella, M. P. Sammartino, M. Tomassetti and G. Visco	743	Chemometric investigation of some analytical methods used for the chemical test of foetal lung maturity
R. Soto-Otero, E. Mendez-Alvarez and J. L. Otero-Cepeda	749	Development of a microcomputer program for statistical evaluation of potential pharmacokinetic drug interactions
P. J. P. Cardot, P. Trolliard and S. Tembely	755	A fully automated chromatographic peak detection and treatment software for multi-user multi-task computers
R. H. Buck and F. Maxl	761	A validated HPLC assay for salmon calcitonin analysis. Comparison of HPLC and biological assay
S. L. Malcolm, M. J. Madigan and N. L. Taylor	771	Thermospray mass spectrometer as a quantitative specific, sensitive, detector for liquid chromatography. Its application to the analysis of pyridostigmine in human plasma
A. P. Cheung, M. Carnine and J. Berg	777	Liquid chromatographic determination of 2′,3′-dideoxyguanosine in human plasma
F. Valero, R. de la Torre, A. R. Boobis, S. Murray and J. Segura	783	Assay of caffeine metabolism *in vitro* by human liver microsomes using radio-high-performance liquid chromatography
J. H. Beijnen, B. R. Smith, W. J. Keijer, R. van Gijn, W. W. ten Bokkel Huinink, L. Th. Vlasveld, S. Rodenhuis and W. J. M. Underberg	789	High-performance liquid chromatographic analysis of the new antitumour drug SK&F 104864-A (NSC 609699) in plasma
J. Mañes, J. Mari, R. Garcia and G. Font	795	Liquid chromatographic determination of hydralazine in human plasma with 2-hydroxy-1-naphthaldehyde pre-column derivatization
F. A. L. van der Horst, J. Teeuwsen, J. J. M. Holthuis and U. A. Th. Brinkman	799	High-performance liquid chromatographic determination of amantadine in urine after micelle-mediated pre-column derivatization with 1-fluoro-2,4-dinitrobenzene
L. M. Nicholson, H. B. Patel, F. Kristjansson, S. C. Crowley Jr, K. Dave, J. F. Stobaugh and C. M. Riley	805	Multidimensional liquid chromatography of opioid peptides: fluorogenic labelling, retention prediction and separation optimization
G. Marko-Varga, E. Domínguez, B. Hahn-Hägerdal and L. Gorton	817	Bioselective detection in liquid chromatography by the use of immobilized enzymes
E. Domínguez, G. Marko-Varga, M. Carlsson and L. Gorton	825	Liquid chromatographic separation and stereoselective detection of L- and D-amino acids with catalytic reaction detection using immobilized enzymes
I. M. Roy and T. M. Jefferies	831	Performance evaluation of an aqueous–organic phase separator for post-column reactions in high-performance liquid chromatography, and its application to the enhanced detection of some basic drugs of abuse
S. Görög and B. Herényi	837	α_1-Acid glycoprotein column in the high-performance liquid chromatographic analysis of some groups of chiral drugs

C. Bertucci, E. Domenici and P. Salvadori	843	Circular dichroism detection in high-performance liquid chromatography: evaluation of the anisotropy factor
A. D. Cooper and T. M. Jefferies	847	On-line recovery of trimeprazine enantiomers following chiral separation by reversed-phase high-performance liquid chromatography using a β-cyclodextrin-containing mobile phase
N. H. Anderson, M. R. Gray and C. J. Hinds	853	Diode array detection of low level co-eluting species in high-performance liquid chromatography
T. Z. Woldemariam, A. F. Fell and P. A. Linley	859	Chromatographic and spectroscopic studies on the constituents in male and female flowers of *Hagenia abyssinica*
S. Scalia	867	Reversed-phase high-performance liquid chromatographic method for the assay of 1,4-dioxane in sulphated polyoxyethylene alcohol surfactants
A. Gomez-Gomar, M. M. Gonzalez-Aubert, J. Garces-Torrents and J. Costa-Segarra	871	Determination of benzalkonium chloride in aqueous ophthalmic preparations by high-performance liquid chromatography
P. Ballard and B. Law	877	Chromatographic retention relationships between aliphatic tertiary amines and their putative *N*-oxide metabolites—preliminary results
Weng Naidong, E. Roets, R. Busson and J. Hoogmartens	881	Separation of keto–enol tautomers of chlortetracycline and 4-epichlortetracycline by liquid chromatography on poly-(styrene–divinylbenzene)copolymer
Weng Naidong, S. Geelen, E. Roets and J. Hoogmartens	891	Assay and purity control of oxytetracycline and doxycycline by thin-layer chromatography—a comparison with liquid chromatography
D. G. Watson, J. M. Midgley, R. N. Chen, W. Huang, G. M. Bain, N. M. McDonald, J. L. Reid and C. N. J. McGhee	899	Analysis of biogenic amines and their metabolites in biological tissues and fluids by gas chromatography–negative ion chemical ionization mass spectrometry (GC–NICIMS)
A. Solans, R. de la Torre and J. Segura	905	Determination of morphine and codeine in urine by gas chromatography–mass spectrometry
J. Ortuño, R. de la Torre, J. Segura and J. Camí	911	Simultaneous detection in urine of cocaine and its main metabolites
T. Alebić-Kolbah and F. Plavšić	915	Determination of serum diltiazem concentrations in a pharmacokinetic study using gas chromatography with electron capture detection
L. Leyssens, V. Martens, E. Royackers, H. Penxten, A. Verheyden, J. Czech and J. Raus	919	The identification of polyoxyethylene glycols and related compounds by capillary gas chromatography
Short Communications		
P. A. D. Edwardson, G. Bhaskar and J. E. Fairbrother	929	Method validation in pharmaceutical analysis
P. A. D. Edwardson and R. S. Gardner	935	Problems associated with the extraction and analysis of triamcinolone acetonide in dermatological patches
F. Y. K. Ghauri, C. A. Blackledge, I. D. Wilson and J. K. Nicholson	939	Studies on the metabolism of fluorinated xenobiotics in the rat using ^{19}F-NMR and ^{1}H-NMR spectroscopy
S. Sequeira, P. W. So, J. R. Everett, C. R. Elcombe, A. S. Kelvin and J. K. Nicholson	945	^{1}H-NMR spectroscopy of biofluids and the investigation of xenobiotic-induced changes in liver biochemistry
K. P. R. Gartland, M. L. Anthony, C. R. Beddell, J. C. Lindon and J. K. Nicholson	951	Proton NMR studies on the effects of uranyl nitrate on the biochemical composition of rat urine and plasma
E. Holmes, P. J. D. Foxall and J. K. Nicholson	955	Proton NMR analysis of plasma from renal failure patients: evaluation of sample preparation and spectral-editing methods
E. Holmes, F. W. Bonner, K. P. R. Gartland and J. K. Nicholson	959	Proton NMR monitoring of the onset and recovery of experimental renal damage
K. P. R. Gartland, C. R. Beddel, J. C. Lindon and J. K. Nicholson	963	A pattern recognition approach to the comparison of PMR and clinical chemical data for classification of nephrotoxicity

T. D. Spurway, K. P. R. Gartland, A. Warrander, R. Pickford, J. K. Nicholson and I. D. Wilson	969	Proton nuclear magnetic resonance of urine and bile from paracetamol dosed rats
M. A. Raggi, P. da Re, F. Lucchini, F. Parisi and A. Salvi	975	Determination of bromine traces in sodium diclofenac, using X-ray fluorescence spectroscopy
F. Mariet, P. Brossier, F. Dicaire and A. A. Ismail	979	Comparison of FT-IR and AAS for metalloimmunoassay of a tricyclic antidepressant drug (desipramine)
S. Agatonović-Kuštrin, Lj. Živanović, D. Radulović and D. Pećanac	983	Spectrophotometric determination of furosemide and its palladium(II) complex
N. H. Anderson, D. Johnston and P. R. Vojvodic	987	Dissolution testing using continuous multicomponent UV analysis to correct for excipient interference
F. Ortega, M. Ballesteros, J. I. Centenera and E. Domínguez	991	Enzymatic flow injection method for determination of formate
M. S. Bloomfield, G. E. Williams and R. Jones	995	The determination of small quantities of water in single vials of pharmaceutical products by flow injection analysis
S. Dermiş and İ. Biryol	999	Anodic oxidation of some phenothiazine derivatives on pretreated platinum and ruthenium electrodes
K. D. Altria and M. M. Rogan	1005	Reductions in sample pretreatment requirements by using high-performance capillary electrokinetic separation methods
P. B. Hulbert and N. M. Hamoodi	1009	Reactivity of chloronitrobenzenes towards glutathione under physiological conditions: the relationship between structure and reaction rate
A. J. Warne and J. G. P. Stell	1015	Purification of aldehyde oxidase from liver by affinity chromatography and FPLC
W. M. Heybroek, M. Caulfield, A. Johnston and P. Turner	1021	Automatic on-line extraction coupled with electrochemical detection as an improved method for the HPLC co-analysis of codeine and morphine in plasma and gastric juice
O. van Tellingen, J. H. Beijnen, H. R. van der Woude, R. Baurain, W. W. ten Bokkel Huinink and W. J. Nooyen	1029	Bio-analysis of *N*-(deacetyl-*O*-4-vinblastoyl-23)-L-ethyl isoleucinate, methane sulphonate (VileE) by high-performance liquid chromatography with fluorescence detection
R. Wyss and F. Bucheli	1033	Ultra-sensitive coupled-column liquid chromatographic determination of retinoids by direct injection of large plasma volumes and ultraviolet detection
G. A. Ross, E. C. Newbould, A. Grossman and D. Perrett	1039	Analysis of urinary and plasma catecholamines using a single LC–EC system
R. Herrmann	1045	Automated high-performance liquid chromatographic assay for Trapidil in human plasma
J. Moore, M. Greenwood and N. Sinclair	1051	Automation of a high-performance liquid chromatographic assay for the determination of nicotine, cotinine and 3-hydroxycotinine in human urine
A. D. Dale and S. E. Turner	1055	The analysis of atenolol in plasma using an automated sample preparation technique
C. Wolf and R. Schmid	1059	Liquid chromatographic determination of mianserin in plasma by fluorescence detection after on-line photochemical reaction
C. Gandini, M. Kitsos, G. Massolini, E. de Lorenzi, A. Soldi, G. Caccialanza and G. Kirschner	1063	Determination of gangliosides in parenteral dosage form by high-performance liquid chromatography
G. Carlucci, A. Colanzi and P. Mazzeo	1067	Determination of bamifylline hydrochloride impurities in bulk material and pharmaceutical forms using liquid chromatography with ultraviolet detection

C. Herrenknecht, D. Ivanovic, E. Guernet-Nivaud and M. Guernet — 1071 — Dependence of the retention of pyrazolidine-3,5-diones on eluent pH in reversed-phase high-performance liquid chromatography

M. G. Quaglia, A. Farina, P. Melchiorre, E. Bossù and P. Pagella — 1075 — The analytical profile of rufloxacin, a new fluoroquinolone, by reversed-phase high-performance liquid chromatography

J. B. Castledine, A. F. Fell, B. Sellberg, R. Modin, M. D. Luque de Castro and M. Valcárcel — 1079 — Background noise reduction in post-column continuous-flow analysis combined with RPLC and computer-aided detection for the characterization of peptides

R. S. Gardner, M. Walker and D. A. Hollingsbee — 1083 — A sensitive high-performance liquid chromatographic method for the assessment of percutaneous absorption of topical corticosteroids

J. Gartzke, D. Burck and R. Grahl — 1087 — Thin-layer chromatography for detection of aromatic acids in urine after occupational exposure to aromatic compounds

R. J. Ruane, G. P. Tomkinson and I. D. Wilson — 1091 — The detection of [^{14}C]propranolol following supercritical fluid chromatography using in-line radioactivity detection

M. Congost, R. de la Torre and J. Segura — 1095 — Determination of ^{14}C-THC and ^{14}C-11-OH-THC from *in vitro* metabolism studies by mass spectrometry (GC–MS) or on-line radiometric detection (HPLC-R)

J. H. Beijnen, R. van Gijn and W. J. M. Underberg — 1101 — Gas chromatographic analysis, with nitrogen detection, of tocainide in plasma